

## Index

This index includes entries for figures. The format for such entries is *Xfig*, where X is the page number.

accented characters. *See* diacritics

accents. *See* diacritics

Acrobat (.pdf files), 2, 40, 94

*See also* PDF (Portable Document Format) files

Add Entry mode

adding keywords in, 28–29

drop-down menus available in, 19–20,  
19*fig*, 20*fig*

from Inspect & Edit screen, 2, 16

from Main Menu, 10

ANSI characters

for cut/paste operations, 16

Translate to for clipboard (General Options, Menu 2, Option X), 14*fig*,  
16, 45*fig*

asterisk (\*), as wildcard, 95

authority table. *See* table of authorities (TOA)

autocomplete. *See* table of authorities (TOA)

Autocomplete/Authority Table Options,  
31*fig*

accessing, 14*fig*

Option A (Generate table of authorities),  
32, 33

Option B (Use table of authorities), 32,  
33

Option C (use hierarchical list), 32, 33

Option D (Automatically add to table of  
authorities), 32, 33

Option E (Automatically regenerate table  
of authorities), 32, 33

Option F (Display auto-complete text on  
same line), 32–33

Option G (Save table of authorities), 33

Option H (Load table of authorities), 33

Option I (Link current table to this  
index), 33

Automatic Backup on Exit, 12, 14, 40

backing up files, 77–78

to a named folder, 77

to an external device, 77

to an optical device, 78

macros for, 78–80

manual backup, 77

backslash, use of with wildcards, 24

backup (.mbk) files, 7*fig*, 9–10, 47, 82

cumulative, 11, 12, 14, 40, 77–80

editing in text editor, 3

loading, 8, 9

block delete, 22–23

options for, 14*fig*, 15

Boolean grouping, 94, 98–99

with case ignored, 96

with case respected, 96–97

examples of, 100–105

on locators, 105–109

setting case/wildcard options for, 94

wildcards used for, 95

browser, selecting for MACREX Help files, 3,  
14

capitalization table

editing, 13

impact of on case conversion, 22

caret (^)

formatting italics using, 39

as wildcard, 95

case, setting for search/group, 94

case conversion, 22

change options, from startup screen, 5, 7,  
7*fig*, 8–9

changing drive, 8

characters

inserting, 25, 25*fig*

onscreen character display, 25–26

character styles, 85–86

character substitution table. *See* Substitution  
Table

Chicago 15th Edition 2003 (squashing), 35,  
58–59

inclusive numbers for, 35–36

and the sort options menu, 36

Chicago Manual of Style. *See* Chicago style;  
modified Chicago

Chicago style (squashing), 35, 54–55, 56–57

- client-specific files/folders, 45, 65, 66, 86, 88
  - creating/navigating with Windows Explorer, 67, 69
  - See also* situation-specific files/folders
- CMS/CMOS (Chicago Manual of Style).
  - See* Chicago style; modified Chicago
- code pages, 12–13, 13*fig*, 37, 45
- colon[letter], as wildcard, 95
- color settings. *See* screen color files (\*.col)
- COL (screen color) files. *See* screen color files (\*.col)
- combined sort and merge, 11, 27, 47, 57, 69
- Command Prompt
  - changing screen size using, 5
  - starting MACREX using, 6, 7
- commas, types of in MACREX entries, 61
- contact information for MACREX 8 (tech support, etc.), 43
- context-sensitive online help. *See* online help
- controlled vocabulary, use of TOA for, 33
- Courier New (font), 89, 90, 92
- cross-references
  - checking, 27
  - defaults for, 60
  - setting sort and merge options for, 46–47
- cumulative backup, 11, 12, 14, 40, 77–80
- curly braces
  - purpose of, 51
  - unmatched pairs of, 81–82
- current file specification (file selection screen), 48, 48*fig*
  
- database, exporting from MACREX to, 40
- default files
  - output configuration files, 38–39
  - overview of, 3
  - creating, 63–64
  - DEFAULT8.MRG, 46, 57, 68
  - DEFAULT8.MWP, 84–85
  - DEFAULT8.OP8, 15, 22, 48, 78
  - DEFAULT8.PAIRS, 82
  - DEFAULT8.SRT, 46, 66, 67
  - RTFDEFAULT.MWP, 38, 69, 82–83, 88
  - RTFDEFAULT.QSU, 38, 69, 83, 88
- default folder, changing, 8, 62
- default settings, 59–60, 61–62, 65, 70
- definition files, 47, 60–62
  - creating default, 63–64
  - default location of, 6
  - loading, 13, 37, 89–90
  - named, 47, 62–64, 67, 68, 83
  - troubleshooting, 81–82
  - See also* named definition files
- Deldex (utility). *See* Recycle Index
- deleting an index. *See* Recycle Index
- diacritics
  - changes to in MACREX 8, 34, 45
  - entry of single-character, 16, 37
  - setting client-specific, 83
  - Substitution Table for, 83, 84
  - viewing on screen, 15–16
  - See also* Option V (General Options, Menu 2)
- discussion group, for MACREX 8, 43–44
- dollar sign, as wildcard, 95
- drop-down menus
  - from Add Edit screen, 19–20
  - Forget and Quit (Save/Quit drop-down list), 41
  - from Inspect screen, 16–19
  - move to next/previous drop-down menu, 18
  - troubleshooting, 41
- duplicating entries. *See* rotate function
  
- editable MACREX files (\*.kwd, \*.pairs, \*.toa, etc.), 3
- Edit drop-down menu (Inspect screen), 16–17
  - Insert Character, 25
- editing entries, 16–17
  - propagating changes after, 20–21
- entries
  - adding notes to, 50–52
  - checking page ranges of, 26–27, 36–37
  - editing, 16–17
  - writing new, 16–17
- exercises
  - creating RTF files, 88–89
  - file selection, 50

- key combinations for rotate/invert, 76
- notes and macros, 53
- recording backup macro, 80
- setting line length, 92
- Explorer. *See* Windows Explorer
- exporting, MACREX to database, 40
- external device, backing up to, 77
- file selection screen, 8*fig*, 44, 47*fig*, 67
  - current file specification, 48
  - <F1> (quit), 44*fig*
  - <F2> (toggles folders to beginning or end of list), 44*fig*
  - <F4> (change drive), 8, 44*fig*
  - <F5> (yank file name), 44*fig*
  - <F9> (make new folder), 8, 44*fig*
  - <F11> (toggle date order), 8, 44*fig*
  - <F12> (reverse sort order), 8, 44*fig*
  - file selection, 50
  - folder levels in, 49
  - navigating, 49
  - practicing with, 50
  - understanding, 47–50
- find/replace, 23–25
  - examples of, 23–24
  - options for, 15
  - using /^&/ in MACREX, 15, 23
  - within a group, 24–25
- flag-text, for find and replace, 15, 23
- fonts
  - changing size of, 5, 13, 82–83
  - Gentium, 61, 84, 87
  - Lucida Console vs. Raster fonts, 12, 45
  - Postscript, 86
  - Times New Roman, 85
  - TrueType, 86
- Forget and Quit (Save/Quit drop-down list), 41
- function keys, 6
- function-specific files/folders. *See* situation-specific files/folders
- General Options
  - Menu 1
    - Option 6 (Check for bad page ranges?), 36–37
    - Option B (List in a file), 3
    - Option D (Load version 7 options file), 4, 12
    - Option G (reserved), 12
    - Option H (Recognize roman numbers?), 37, 62
    - Option M (Set Colors), 4, 12
    - Option P (set code page), 12–13
    - Option V (Warn for Greek chars mode?), 13
  - Menu 2, 3, 14*fig*, 45*fig*
    - Option 1 (Warn about Num Lock), 16
    - Option A (Authority table options), 32
    - Option E (Edit matched pair table), 14, 27
    - Option F (Save matched pair table), 14, 27
    - Option G (Load matched pair table), 14, 27, 82
    - Option H (Cumulative backup on exit?), 14, 40
    - Option I (Number of cumulative backup files), 14
    - Option J (Program to open help files?), 3, 14
    - Option K (Change all headings on edit?), 15, 21
    - Option L (Changed headings to scroll buffer?), 15
    - Option M (find/replace flag text), 15, 23
    - Option N (F9/F11, <Ctrl>N swap?), 15
    - Option O (Edit/add/delete keywords), 15, 28–29, 30
    - Option P (Save keywords), 15, 29
    - Option Q (Load keywords), 15, 29
    - Option R (Scan keywords from final batch), 15, 29
    - Option S (Clean up final batch), 15, 30
    - Option T (Block delete options), 15
    - Option U (Block delete warning threshold), 15
    - Option V (Replace character codes), 15–16
    - Option W (<Ctrl><Shft>N instead of

- num lock), 16, 25
- Option X (translate to ANSI for clipboard?), 16
- Option Y (Use <END> for autocomplete), 16
- Option Z (Display keyword list in browser), 15
- Gentium (font), 61, 84, 87
- Greek characters, 13
  - See also* diacritics
- grouping, 94, 98–99
  - with case ignored, 96
  - with case respected, 96–97
  - examples of, 100–105
  - on locators, 105–109
  - setting case/wildcard options for, 94
  - wildcards used for, 95
- half flip, keystrokes for, 19, 75
- Hart's Rules. *See* Oxford style (squashing)
- header letters, 61, 83, 86, 88, 90
- Help drop-down menu
  - from Add Entry screen, 20*fig*
  - from Inspect screen, 18*fig*
  - from Main Menu, 11, 11*fig*
- ignored words, impact of on case
  - conversion, 22
- inclusive numbers, Chicago 15th Edition 2003 (squashing), 35–36
- inclusive numbers, CMS, 35–36
- indented style, 61, 65–66, 83, 86
- index files (\*.mx8), 3, 5, 37
  - default location of, 6
  - macros for backing up, 78–80
  - opening, 9
- index length, changing, 92–94
- INF files. *See* index files (\*.mx8)
- INI files (macrex.ini), 5
- Inspect & Edit mode, 2, 10, 16
  - drop-down menus available in, 16–19
- Internet Explorer (a.k.a. IE) (MS). *See* Windows Explorer
- introducing MACREX 8, 2
- invert function, 70–71
  - examples of keystrokes for, 72–76

- keyboard macros. *See* macros
- keyboards, troubleshooting, 41, 42–43
- key combinations and shortcuts. *See* MACREX Key Combinations and Shortcuts
- keyword files (\*.kwd, editable text file), 3, 5, 28, 29, 30
- keywords, 3
  - editing, adding, deleting, 28–30
  - error messages with, 29
  - loading, 29
  - options for controlling, 15
  - saving, 29
  - scanning from final batch, 29
- KWD (keywords) files. *See* keyword files (\*.kwd)
- LAY (layout settings) files (\*.lay), 81, 83, 86–87, 89–90
  - creating new, 90
  - list of shipped, 86–87
- Layout Menu. *See* Output Layout Options
- letter-by-letter sorting, 64, 68
  - See also* sorting
- line length
  - calculating, 89–91
  - setting (in Word), 91
- line spacing, 92–94
- loading backup file, from startup screen, 9
- locators
  - Boolean grouping on, 105–106
  - examples of Boolean grouping of, 107–109
  - notes as, 52
  - notes attached to, 52
  - options for copying, 15
  - squashing/unsquashing, 35
- LST files (\*.lst)
  - purpose of, 3
  - See also* Option B (General Options Menu 1)
- Lucida Console vs. Raster fonts, 12, 45
- LxL. *See* letter-by-letter sorting
- MACREX 8

- contact information, 43
  - getting started, 45–46
  - introducing, 1
  - issues/troubleshooting, 41–43
- MACREX 8 files
  - default directory, 6
  - overview of new, 3
- MACREX discussion group [online], 43–44
- MACREX Key Combinations and Shortcuts, 6, 10–11, 44*fig*
  - for invert/rotate functions, 71–76
  - navigating using, 49
  - setting case/wildcard options, 94
  - troubleshooting, 42
- MACREX OPTIONS. *See* General Options
- MACREX search path, 62, 63, 64–65, 70
- MACREX Techniques*, 1, 94
- macros
  - for backing up files, 78–80
  - built-in, 31
  - creating for routine searches, 94
  - for inserting notes, 53
  - recording, 31
- Main Menu, 11*fig*
  - Add Entry mode, 10, 19–20
  - functions directly accessible from, 2, 10–11
  - Inspect & Edit mode, 16–19
  - Merge Menu, 2
  - Option D (delete an index), 10
  - Option E (Add Entry mode), 10
  - Option F (Quick RTF file), 10, 61, 69, 82–83
  - Option N (new index), 10
  - Option P (Output Menu), 82–83
  - Option T (Quick Text file), 10, 69
  - single key shortcuts, 10–11, 11*fig*
  - Sort Menu, 2
- maximum squashing (locators), 35, 55–56
- MBK (MACREX backup) files. *See* backup (.mbk) files
- Merge Menu, accessing from Main Menu, 2
- Merge Options Menu
  - Menu 1
    - Option 6 (Edit capitalization table), 13
    - Option F (Squash page references?), 35, 36, 55
  - Option G (Type of squash), 35, 55, 57
  - Option P (“See also”, placement of), 46
  - Option R (“See also”, text of), 46
- Menu 2
  - Option D (Lowest acceptable volume number), 26
  - Option E (Highest acceptable volume number), 26
  - Option F (Lowest acceptable roman page number), 26
  - Option G (Highest acceptable roman page number), 35
  - Option H (Lowest acceptable roman volume number), 26
  - Option I (Highest acceptable roman volume number), 26
- Microsoft Word
  - “cannot open RTF file”, 81–82
  - making changes in, 87
- modified Chicago (squashing), 35, 57–58
- mouse
  - enhanced use of in MACREX 8, 44
  - navigating using, 49
- MWP (MACREX word processor settings)
  - files (\*.mwp), 13, 39, 81, 83–84
  - Substitution Table in, 83, 84
- MX8 files. *See* index files
- named definition files, 62–64
  - advantages of, 63
  - creating, 63–64
  - loading, 67, 68, 83
  - See also* definition files
- new folder, making from file selection screen, 8
- new index, starting, 7*fig*, 8
- notes
  - adding to entries, 50–52
  - coding for output, 51
  - placement of, 51–52
  - types of, 52
- number grouping (locators), 106–109
- numbers. *See* locators
- NumLock, options for warning about, 16

- online help
  - accessing context-sensitive, 2–3, 18*fig*
  - for color settings, 4
  - editing, 2
  - selecting browser for, 3
  - troubleshooting, 42
- OP8 files. *See* option files (\*.op8)
- opening an existing file, 7–8, 7*fig*
- operating systems. *See* Windows (MS)
  - operating systems
- OPT files. *See* option files (\*.op8)
- optical device, backing up to, 78
- Optional Printing Features Menu
  - additions to in MACREX 8, 39
  - Option M (Caret (^) produces italic on printer?), 39
  - Option N (Name of program to display .rtf file), 39
  - Option O (Name of program to display .txt file), 39
  - Option P (Automatically open files), 39
  - Option Q (Copy file name to clipboard), 39
  - Option R (Name of word processor initialization file), 40, 82–83, 87
- option files (\*.op8), 4, 22, 48, 78
- Options drop-down menu
  - from Inspect screen, 19*fig*
  - from Main Menu, 11
- ordering of display, 48*fig*, 49
- Output drop-down menu (Main Menu), 11
- Output Layout Options
  - Menu 1
    - Option A (First word/letter printed), 90
    - Option B (Last letter/word printed), 90
    - Option C (Page length), 90
    - Option D (Top margin), 90
    - Option E (Bottom margin), 90
    - Option F (Left margin), 90
    - Option G (Right margin), 90
    - Option Z (Header letter), 90
  - Menu 2
    - Option B (Text before header letter), 88

- Option H (Page number concatenator), 90
- Option N (set up code table for indents), 88
- Options 5-8, 61, 83
- Menu 3
  - additions to, 40
  - Option B (Print group listing?), 52, 90
  - Option C (Text for group listing), 52, 90
  - Option J (Database style output?), 40
  - Option K (Omit first database heading?), 40
- Output Subprogram Menu, 38*fig*
  - changes and additions to in MACREX 8, 37–38, 44
  - creating new default layout, 44
  - Option F (Quick RTF file), 38
  - Option L (Load a different layout), 37, 44, 82–83
  - Option O (Add or edit optional printing features), 82–83
  - Option Q (Add or edit Optional printing features), 83
    - Option B (Load a QSU file), 83
  - Option S (Save current layout), 37, 44
  - Option T (Quick Text file), 38
  - Option W (Make a Word processor file), 83, 90
- outputting final index, 37–40
- Oxford Guide to Style (squashing). *See* Oxford style
- Oxford style (squashing), 35, 56
- page number order, 11
- page ranges
  - checking for bad, 26–27, 36–37
  - See also* locators; squashing/unsquashing (locators)
- pair checking, 27, 82
- pairs files (pairs of codes or punctuation marks,) (\*.pairs, editable text file), 3, 14
- PAIRS (pairs of codes or punctuation marks) files. *See* pairs files (\*.pairs)
- paragraph styles, 85–86
- PDF (Portable Document Format) files

- (\*.pdf)
- printing from MACREX to, 40
- See also* Acrobat
- Penguin (squashing), 35, 58
- Postscript fonts, 86
- PrimoPDF, 40
- printers, setting default, 40
- printing final index, 37–40
- project-specific files/folders. *See*
  - situation-specific files/folders
- propagating changes, 20–21
- pull-down menus. *See* drop-down menus
- punctuation, automatic checking of, 28
  
- QSU (quick setup definition) files (\*.qsu),
  - loading, 83
- query files, block deletion of, 14*fig*, 22, 45*fig*
- question mark, as wildcard, 95
- question mark, to create query section, 22
- Quick files (RTF, text), 10, 11, 38–39, 61, 69–70, 82
  - “Microsoft Word cannot open”, 81–82
- quitting an index, 40–41
  
- Raster fonts vs. Lucida Console, 12, 45
- Read & Correct, 9, 11
- ready prompt. *See* Inspect & Edit mode
- Recycle Index
  - from Main Menu, 10–11, 47
  - from startup screen, 7*fig*, 9
- repetitive stress injury (RSI), 1
- reverse sort order, on file selection screen, 8
- Roman numerals, 26, 37, 62
  - See also* General Options, Menu 1, Option H
- rotate function (duplicate entries), 70–71, 71
  - examples of keystrokes for, 72–76
- RTF files
  - QuickRTF default layout (one keystroke), 82–83
  - simplified, 83–84
- run-on style, 38, 61, 65, 66, 69, 83, 86–87
  
- SBF (scroll back files) (\*.sbf), 15
- screen color, 48, 60
  
- file (\*.col), 3, 12
  - help with setting, 4
  - loading previous color scheme, 4, 12
- screen height/width, adjusting, 5, 7, 13
- scrolling, by mouse or keyboard, 49
- Search drop-down menu (Inspect screen), 18*fig*
- searching
  - Boolean grouping for, 98–99
  - with case ignored, 96
  - with case respected, 96–97
  - macros for routine, 94
  - setting case/wildcard options for, 94
  - wildcards used for, 95
- search path, 62, 63, 64–65, 70
- see also/see* cross-references, 46
  - See also* Merge Options Menu; Sort Options Menu
- single key shortcuts (Main Menu), 10–11, 11*fig*
- situation-specific files/folders
  - for advanced users, 69–70
  - creating, 67–68
  - examples of, 66–67
  - reasons for using, 65
  - using, 68–69
  - See also* client-specific files/folders
- sorting
  - letter-by-letter, 64, 68
  - word-by-word (default), 60
- Sort Menu (Main Menu), 2
- Sort Options Menu
  - Option G (Alphabetization), 13, 47
  - Option M (Edit character translation table), 13
  - Option N (*See also* references at end of list?), 46
  - Option T (Hyphen Fix for Chicago-15), 36
- special characters. *See* diacritics
- square brackets, as wildcard, 95
- squashing/unsquashing (locators), 53, 60
  - Chicago 15th Edition 2003, 35–36, 58–59
  - Chicago style, 35, 54–55, 56–57
  - maximum, 35, 55–56

- modified Chicago, 35, 57–58
- options for, 35, 55
- Oxford style, 35, 56
- Penguin, 35, 58
- of Roman numerals, 54
- unsquash (default), 35, 57
- See also* Merge Options Menu, Menu 1, Options F and G
- starting a new index, 7*fig*, 8
- starting MACREX, 6–7
  - from Windows Explorer, 9–10
- startup screen, 7*fig*
  - change options, 7, 8–9, 9*fig*
  - loading backup file from, 8
  - Recycle Index (delete), 7
- styles
  - character, 85–86
  - defined by .mwp file in MACREX, 92
  - paragraph, 85–86
- subheadings, notes as, 51–52
- Substitution Table
  - for diacritics, 83, 84
  - See also* diacritics
- table of authorities (TOA), 3
  - accessing from main menu, 11
  - for autocomplete, 33
  - for controlled vocabulary, 33
  - editing (\*.toa), 33–34
  - from existing index, 33
  - reusing heading/subheading structure
    - from previous index, 33
  - troubleshooting, 41
  - use of during indexing, 34
  - See also* Autocomplete/Authority Table Options
- technical support for MACREX 8, 43
- text files, editable, 3
  - See also* RTF files
- TOA (table of authorities). *See* table of authorities (TOA)
- toggle date order, on file selection screen, 8
- TrueType font, 12, 86
- Unicode, 13, 37, 45, 84, 87
  - and printing, 37

- See also* diacritics
- unsquash (locators), 35, 57
- Utilities drop-down menu (Main Menu), 11, 11*fig*
- Vista (operating system), 2
  - changing font size, 5, 7, 13
  - setting screen height/width, 5
- vocabulary, use of TOA for controlled, 33
- volume numbers, 37–38, 83, 108
  - setting options for, 26–27
  - See also* locators
- web browser, to display help files, 14
- wildcards, 95–98
  - setting for search/group, 94
- Windows 7 (operating system), 2, 84
  - changing font size, 13
  - character set for, 61
- Windows Explorer (MS)
  - and client-specific files/folders, 67, 69
  - opening Help files in, 14
  - starting MACREX with, 6, 9–10
  - using to move/copy files, 69, 92
- Windows (MS) operating systems
  - adjusting screen height/width for different, 5, 13
  - compatible with MACREX 8, 2
  - See also* specific operating systems (Windows XP, Vista, Windows 7)
- Windows program files, default location of, 6
- Windows XP (operating system), 2
  - adjusting screen height/width, 5
  - change options on startup screen for, 5, 7, 7*fig*, 8–9
  - changing font size, 13
  - character set for, 61
- Word. *See* Microsoft Word
- word-by-word sorting (default), 60
- word processor file format (default), 60–61
- work environment
  - configuring, 60–61
  - importance of ideal, 59–60
- writing entries, 16–17
- WxW. *See* word-by-word sorting